

structure of its substantial part.

Fig. 41 is a view showing a semiconductor device according to eleventh, thirteenth, nineteenth, twenty-first, twenty-third and twenty-fifth embodiments of this invention and illustrates the structure of its substantial part.

Fig. 42 is a view showing a semiconductor device according to twelfth, twentieth, twenty-fourth and thirty-first embodiments of this invention and illustrates the structure of its substantial part.

Fig. 43 is a view showing a semiconductor device according to fifteenth and twenty-seventh embodiments of this invention and illustrates the structure of its substantial part.

Fig. 44 is a view showing a semiconductor device which constitutes first, second, third and fourth comparison examples and illustrates the structure of its substantial part.--;

---

Page 19, line 22, after the word "invention." insert --Also; Fig. 38 is a view showing

A2 a semiconductor device according to a first embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 1 shows a sectional view taken along lines A-B in Fig. 38.--;

---

Page 19, line 24, after "Fig. 1" insert --and Fig. 38--;

---

Page 28, line 14, after the word "invention." insert --Also; Fig. 39 is a view showing

A3 a semiconductor device according to a second embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 2 shows a sectional view taken along lines A-B in Fig. 39.--;

---

Page 28, line 16, after "Fig. 2" insert--and Fig. 39--;

---

Page 30, line 17, after the word "invention." insert --Also; Fig. 38 is a view showing

A4 a semiconductor device according to a third embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 3 shows a sectional view taken along lines A-B

Ad  
cont'd

in Fig. 38.--;

Page 30, line 19, after "Fig. 3" insert --and Fig. 38--;

A5

Page 32, line 17, after the word "invention." insert --Also, Fig. 38 is a view showing a semiconductor device according to a forth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 4 shows a sectional view taken along lines A-B in Fig. 38.--;

Page 32, line 19, after "Fig. 4" insert --and Fig. 38--;

A6

Page 35, line 13, after the word "invention." insert --Also, Fig. 39 is a view showing a semiconductor device according to a fifth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 5 shows a sectional view taken along lines A-B in Fig. 39.--;

Page 35, line 15, after "Fig. 5" insert --and Fig. 39--;

A7

Page 37, line 15, after the word "invention." insert --Also, Fig. 38 is a view showing a semiconductor device according to a sixth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 6 shows a sectional view taken along lines A-B in Fig. 38.--;

Page 37, line 17, after "Fig. 6" insert --and Fig. 38--;

A8

Page 39, line 14, after the word "invention." insert --Also, Fig. 38 is a view showing a semiconductor device according to a seventh embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 7 shows a sectional view taken along lines A-B in Fig. 38.--;

Page 39, line 16, after "Fig. 7" insert --and Fig. 38--;

A9

Page 42, line 2, after the word "invention." insert --Also, Fig. 39 is a view showing a semiconductor device according to an eighth embodiment of this invention and illustrates the

A<sub>9</sub>  
cont'd

structure of its substantial part. Further, Fig. 8 shows a sectional view taken along lines A-B in Fig. 39.--;

Page 42, line 4, after "Fig. 8" insert --and Fig. 39--;

A<sub>10</sub>

Page 44, line 5, after the word "invention." insert --Also, Fig. 38 is a view showing a semiconductor device according to a ninth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 9 shows a sectional view taken along lines A-B in Fig. 38.--;

Page 44, line 7, after "Fig. 9" insert --and Fig. 38--;

A<sub>11</sub>

Page 46, line 5, after the word "invention." insert --Also, Fig. 40 is a view showing a semiconductor device according to a tenth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 10 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 46, line 11, after "Fig. 10" insert --and Fig. 40--;

A<sub>12</sub>

Page 51, line 7, after the word "invention." insert --Also, Fig. 41 is a view showing a semiconductor device according to an eleventh embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 11 shows a sectional view taken along lines A-B in Fig. 41.--;

Page 51, line 9, after "Fig. 11" insert --and Fig. 41--;

A<sub>13</sub>

Page 53, line 12, after the word "invention." insert --Also, Fig. 42 is a view showing a semiconductor device according to a twelfth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 12 shows a sectional view taken along lines A-B in Fig. 42.--;

Page 53, line 14, after "Fig. 12" insert --and Fig. 42--;

A<sub>14</sub>

Page 55, line 15, after the word "invention." insert --Also, Fig. 41 is a view showing

A<sub>14</sub>  
cont'd

a semiconductor device according to a thirteenth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 13 shows a sectional view taken along lines A-B in Fig. 41.--;

Page 55, line 17, after "Fig. 13" insert --and Fig. 41--;

Page 57, line 16, after the word "invention." insert --Also, Fig. 40 is a view showing

A<sub>15</sub>

a semiconductor device according to a fourteenth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 14 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 57, line 18, after "Fig. 14" insert --and Fig. 40--;

Page 59, line 23, after the word "invention." insert --Also, Fig. 43 is a view showing

A<sub>16</sub>

a semiconductor device according to a fifteenth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 15 shows a sectional view taken along lines A-B in Fig. 43.--;

Page 59, line 25, after "Fig. 15" insert --and Fig. 43--;

Page 61, line 25, after the word "invention." insert --Also, Fig. 40 is a view showing

A<sub>17</sub>

a semiconductor device according to a sixteenth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 16 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 61, line 2, after "Fig. 16" insert --and Fig. 40--; M/E

Page 64, line 6, after the word "invention." insert --Also, Fig. 40 is a view showing a

A<sub>18</sub>

semiconductor device according to a seventeenth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 17 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 64, line 8, after "Fig. 17" insert --and Fig. 40--;

Page 66, line 8, after the word "invention." insert --Also, Fig. 40 is a view showing a

A19 semiconductor device according to an eighteenth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 18 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 66, line 10, after "Fig. 18" insert --and Fig. 40--;

Page 69, line 4, after the word "invention." insert --Also, Fig. 41 is a view showing a

A20 semiconductor device according to a nineteenth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 19 shows a sectional view taken along lines A-B in Fig. 41.--;

Page 69, line 6, after "Fig. 19" insert --and Fig. 41--;

Page 71, line 8, after the word "invention." insert --Also, Fig. 42 is a view showing a

A21 semiconductor device according to a twentieth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 20 shows a sectional view taken along lines A-B in Fig. 42.--;

Page 71, line 10, after "Fig. 20" insert --and Fig. 42--;

Page 73, line 13, after the word "invention." insert --Also, Fig. 41 is a view showing

A22 a semiconductor device according to a twenty-first embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 21 shows a sectional view taken along lines A-B in Fig. 41.--;

Page 73, line 15, after "Fig. 21" insert --and Fig. 41--;

Page 75, line 15, after the word "invention." insert --Also, Fig. 40 is a view showing

A23 a semiconductor device according to a twenty-second embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 22 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 75, line 17, after "Fig. 22" insert --and Fig. 40--;

Page 78, line 5, after the word "invention." insert --Also, Fig. 41 is a view showing a

A24 semiconductor device according to a twenty-third embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 23 shows a sectional view taken along lines A-B in Fig. 41.--;

Page 78, line 7, after "Fig. 23" insert --and Fig. 41--;

Page 80, line 10, after the word "invention." insert --Also, Fig. 42 is a view showing

A25 a semiconductor device according to a twenty-fourth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 24 shows a sectional view taken along lines A-B in Fig. 42.--;

Page 80, line 12, after "Fig. 24" insert --and Fig. 42--;

Page 82, line 16, after the word "invention." insert --Also, Fig. 41 is a view showing

A26 a semiconductor device according to a twenty-fifth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 25 shows a sectional view taken along lines A-B in Fig. 41.--;

Page 82, line 18, after "Fig. 25" insert --and Fig. 41--;

Page 84, line 19, after the word "invention." insert --Also, Fig. 40 is a view showing

A27 a semiconductor device according to a twenty-sixth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 26 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 84, line 21, after "Fig. 26" insert --and Fig. 40--;

Page 86, line 25, after the word "invention" insert --Also, Fig. 43 is a view showing a

A28 semiconductor device according to a twenty-seventh embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 27 shows a sectional view taken

A28  
cont'd

along lines A-B in Fig. 43.--;

Page 87, line 2, after "Fig. 27" insert --and Fig. 43--;

Page 89, line 3, after the word "invention." insert --Also, Fig. 40 is a view showing a

A29

semiconductor device according to a twenty-eighth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 28 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 89, line 5, after "Fig. 28" insert --and Fig. 40--;

Page 91, line 8, after the word "invention." insert --Also, Fig. 40 is a view showing a

A30

semiconductor device according to a twenty-ninth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 29 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 91, line 10, after "Fig. 29" insert --and Fig. 40--;

Page 93, line 13, after the word "invention." insert --Also, Fig. 40 is a view showing

A31

a semiconductor device according to a thirtieth embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 30 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 93, line 15, after "Fig. 30" insert --and Fig. 40--;

Page 95, line 18, after the word "invention." insert --Also, Fig. 42 is a view showing

A32

a semiconductor device according to a thirty-first embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 31 shows a sectional view taken along lines A-B in Fig. 42.--;

Page 95, line 20, after "Fig. 31" insert --and Fig. 42--;

Page 97, line 25, after the word "invention." insert --Also, Fig. 40 is a view showing a

A33

semiconductor device according to a thirty-second embodiment of this invention and

A33  
cont'd

illustrates the structure of its substantial part. Further, Fig. 32 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 98, line 2, after "Fig. 32" insert --and Fig. 40--;

Page 99, line 24, after the word "invention." insert --Also, Fig. 40 is a view showing

A34

a semiconductor device according to a thirty-second embodiment of this invention and illustrates the structure of its substantial part. Further, Fig. 32 shows a sectional view taken along lines A-B in Fig. 40.--;

Page 100, line 1, after "Fig. 33" insert --and Fig. 40--;

Page 106, line 3, after the word "example.", insert --Also, Fig. 44 is a view showing a

A35

semiconductor device which is a first comparison example and illustrates the structure of its substantial part. Further, Fig. 34 shows a sectional view taken along lines A-B in Fig. 44.--;

Page 106, line 5, after "Fig. 34" insert --and Fig. 44--;

Page 111, line 12, after the word "example.", insert --Also, Fig. 44 is a view showing

A36

a semiconductor device which is a second comparison example and illustrates the structure of its substantial part. Further, Fig. 35 shows a sectional view taken along lines A-B in Fig. 44.-

;

Page 111, line 14, after "Fig. 35" insert --and Fig. 44--;

Page 114, line 1, after the word "example.", insert --Also, Fig. 44 is a view showing a

A37

semiconductor device which is a third comparison example and illustrates the structure of its substantial part. Further, Fig. 36 shows a sectional view taken along lines A-B in Fig. 44.--;

Page 114, line 3, after "Fig. 36" insert --and Fig. 44--;

Page 116, line 15, after the word "example.", insert --Also, Fig. 44 is a view showing

A38

a semiconductor device which is a fourth comparison example and illustrates the structure of its substantial part. Further, Fig. 37 shows a sectional view taken along lines A-B in Fig. 44.-